



OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: Q58PQ4U-029AEN(A3) Q5CONSOLE-001U Q5001-8PU	
Trade Mark: SkyTek	
Model: Indoor	STM16D3NE MFGA-55ARFN1-RRD0
Model: Outdoor	STM16D3NE MOE30U-55HFN1-RRD0
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)] 67/74
Refrigerant type	R410A
GWP	2088
Charge amount	[g] 4300
CO2 equivalent	[tonnes] 8.98
SEER	[W/W] 6.0
Energy efficiency class in cooling	A++
Annual electricity consumption in cooling [1]	[kWh/a] 904
Design load in cooling mode (Pdesign)	[kW] 15.5
SCOP (average heating season)	[W/W] 4.0
Energy efficiency class in heating (average season)	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a] 4270
Warmer heating season	Y
Colder heating season	
Design load in heating mode (Pdesign)	[kW] 12.2
Declared capacity at reference design condition (heating average season)	[kW] 14.125
Back up heating capacity at reference design condition (heating average season)	[kW] 0.962
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional	
Contains fluorinated greenhouse gases.	
Importer: Cimalux Center SRL	
Manufacturer: 256 Basarabia Biv. Bucharest 3, Romania	
[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.	

Note: Please check the model information above according to the model name on the nameplate.